



CE

NSAI Certificate No; 0050-CPD-0123

## Construction Products Regulation

### DECLARATION OF PERFORMANCE

DoP Item	Performance or Level
1. The unique identification code of the product type:	Prefabricated structural timber member assembled with punched metal plate fasteners
2. The intended use/s:	Prefabricated timber structural members assembled with punched metal plate fasteners for use in buildings.
3. The name, registered trade name or trademark and contact email address and phone number of the manufacturer:	Cork Roof Truss Company Ltd, Woodview, Inniscarra, Co Cork. info@crtc.ie 021 4810822
4. The authorised representative (if appropriate):	Not appropriate
5. System(s) of AVCP:	2+

<b>6.</b> <b>(a) Harmonised standard:</b> <b>(b) Notified body:</b>	I.S.EN 14250:2010 National Safety Authority Ireland (NSAI)
<b>7. Declared performance/s:</b>  <b>(a) Mechanical Resistance:</b>  <b>(b) Structural timber:</b>  <b>(c) Punched metal plate fasteners:</b>  <b>(d) Other characteristics:</b>  <b>(e) Reaction to Fire:</b>  <b>(f) Fire Resistance:</b>  <b>(g) Release of dangerous substances:</b>  <b>(h) Durability:</b>	Method 3b, calculated according to I.S.EN 1990, I.S.EN 1991 and I.S.EN 1995-1-1 Complies with I.S.EN 14081-1. Strength class as marked on truss and/or product drawings Complies with I.S.EN 14545 NPD D-s2,d0 CWFT NPD, to be calculated according to I.S.EN 1995-1-2 No dangerous substance to be declared Durability class 5 according to EN 350-2 Fasteners declared as 'Pass' according to EN 14545
<b>8. Appropriate Technical Document and/or Specific Technical Documentation:</b>	Product documents include drawings and calculations, other documents are referenced in CE mark

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration is issued under the sole responsibility of the manufacturer identified in point No 3.

Signed for and on behalf of the manufacturer by:  
Managing Director: Brian Humphries  
Signature:

